
Balancing Sustainability and Comfort: Renewable Energy Solutions for Heat-Resilient Tourism Operations

Karim Sayed Abdelhamid Salem

Bachelor of Arts, Faculty of Arts and Education, English, Menofia University, Alexandria, Egypt

Corresponding Author: Karim Sayed Abdelhamid Salem **E-mail:** araby.kareem@gmail.com

ARTICLE INFO

Received: August 10th, 2025

Accepted: October 12th 2025

Published: November, 06th
2025

Volume: 3

Issue: 4

DOI: 10.61424/issej.v3i4.538

KEYWORDS

Thermal comfort, Heat-resilient tourism, Renewable energy solutions, Urban heat island, Blue-green infrastructure, Sustainable hospitality, Climate adaptation, Tourism infrastructure, Smart cooling systems.

ABSTRACT

With the increase in global temperature, the tourism industry has a pressing issue: ensuring the comfort of its visitors and their survival of business, while promoting sustainability objectives. The nature of tourism is being redefined by heatwaves, urban heat island effects, and growing thermal pressure, particularly in highly populated or tropical urban landscapes. The article will discuss how renewable energy solutions can become a part of the heat-resilient tourism operations to strike a balance between sustainability and the comfort of the guests. The paper combines the existing knowledge on urban climatology, renewable energy systems, architectural innovation, and tourism planning based on a multidisciplinary analysis of 29 recent scholarly sources. Passive and active cooling technologies that use renewables are also highlighted in the study, which can include the use of solar-driven air conditioning, blue-green infrastructure, as well as AI-enhanced climate control systems, and so on. Cities such as Jakarta, Hangzhou, Colombo, Budapest, and Mangaluru used in the case studies illustrate both the spatial and social, as well as policy-based solutions to heat stress. The significance of equity, urban form, and land use, along with behavioral adaptation in creating comfortable, inclusive, and climate-resilient tourist settings, is also discussed in the paper. This research can be incorporated into the discussion on the future-friendly tourism infrastructure by suggesting a conceptual framework that combines energy transition with thermal welfare and city-planning. Recommendations are also made to the policymakers, urban planners, and adaptive tourism developers on how to develop evidence-based and renewable-driven and heat-sensitive strategies at scale.

1. Introduction

1.1 The Dual Challenge: Climate Change and Sustainable Tourism

The tourism industry is at a focal point of an existential crossroad at which the congruent imperatives of sustainable development and climate change mitigation can no longer be a personal choice but are vital. On one hand, tourism has to decarbonize its infrastructure, operations, and transport systems at high rates in order to help achieve the global targets of emissions reduction. At the other end, it should take care that guests and employees can be comfortable and safe in more extreme climate conditions. Climate change has led to a lack of predictable seasonal changes, increased frequency of heatwaves, and less predictability of thermal conditions - and has a direct negative impact on tourist destinations around the world (Cui et al., 2024; Yin et al., 2025). Sustainable tourism is now not the issue

concerning ecological protection alone, but also climate resilience and energy responsibility (Jain, 2024; Menegaki, 2025).

In addition, holiday resorts in seaside resorts, in tropical towns, and heritage cities are unfairly bushwhacked. These spheres need to strike a fine balance: on the one hand, they should be appealing to the tourists using up materials and equipment that stand a test of heat, on the other hand, fulfill the needs of the locals in terms of heat-resistance of infrastructure, energy consumption, and quality of services (Shatnabi et al., 2025; Zhang and Cao, 2024). Therefore, the two-fold paradox is balancing the issue of an ecologically sustainable tourism industry to align with comfort-or tourismism services due to the climate that is becoming hotter and warmer.

1.2 Rise of Extreme Heat Events and Their Impact on Tourism

Extreme heat can significantly modify the spatial and operational logic of tourism because of its indexation. Long-term heatwaves and the heightened temperatures outside at night (as a result of UHIs) cause both decreased outdoor leisure activities and greater energy use on cooling facilities (Ekanayaka et al., 2025; Genovese et al., 2025). Uncontrolled heat exposure has led to low levels of visitor satisfaction in tourism-driven economies in cities such as Colombo, Hangzhou, and Mangaluru during the summer time, where most of the visitors prefer touring during this period (Xu et al., 2025; Nooji et al., 2025). Interestingly, vacation spots boasting of poor urban ventilation channels, shortage of urban greenery, and large land surface temperatures (LST) areas are the most vulnerable (Lei, 2025; Roosto & Vakilinezhad, 2025).

Tourist employees, such as guides, street vendors and entertainers and those who work in outdoor environments are at an increased risk of heat-related illnesses like heat stroke, exhaustion, and impaired cognition (Kenny et al., 2020; Piil et al., 2021). These health and economic risks combined with each other to form a vicious circle: decreased quality of the services, increased operating costs, and the argument against tourist destinations that could not improve.

1.3 Importance of Aligning Energy Transition with Guest Comfort

With the shift to low-carbon and renewable energy sources in energy systems, tourist destinations have to reconsider the ways in which they can control concepts of indoor and outdoor thermal environments. Although alternative energy sources such as solar, geothermal heating, and cooling, and smart HVAC solutions are legitimate ways to reduce emissions, they should not affect the comfort levels and standards that constitute the guest value (Zhang, Wang, and Zhu, 2024; He, Xiong, and Dong, 2023). Designing buildings with the principle of energy efficiency and comfort would necessitate architecture and building design, which include shading exposed areas, efforts that passively ventilate buildings without temperature regulation, and intelligent management of energy based on occupancy and real-time weather conditions (Tonmoy et al., 2025; Jonas, 2025).

Renewable energy solutions must therefore not only be adopted at the technological level, but also at the experiential and spatial design of tourism sites. Impermeable surfaces and microsystem Infrastructure. In addition to enhancing the aesthetic appearance and ecology of the tourist sites, blue-green infrastructure (including water bodies, vegetation right-of-way, and green roofing) is important in naturally cooling ambient atmospheric temperatures (Genovese et al., 2025; Yin et al., 2025). The comfort of tourists should not be thus regarded as something secondary since it is a driver of sustainable innovation.

1.4 Research Aim and Scope

The purpose of this article is to build an integrative insight into how to use renewable energy solutions in order to promote thermal-robust tourism measures. The research uses a multidisciplinary approach of studies covering urban design, energy systems, as well as environmental science and tourism management. Based on the systematic review of 29 academic sources, the paper explores the intersection of thermal comfort/renewable energy infrastructure/land-use dynamics/climate adaptation strategies within various geographies, such as Hangzhou, Budapest, Amman, Jakarta, Hyderabad, Zhengzhou, and others (Baron, 2025; Prasad, 2025; Coradescu-Roșca et al., 2023).

Table 1: Heat-Induced Impacts on Tourism across Dimensions

Dimension	Heat-Related Impact	Implications for Tourism Operations
Health & Safety	Heat exhaustion, stroke, reduced cognitive function (Kenny et al., 2020; Piil et al., 2021)	Increased liability, medical preparedness, staff rotation
Infrastructure Stress	HVAC overload, grid instability (Menegaki, 2025; He et al., 2023)	Operational costs rise, reduced cooling reliability
Visitor Behavior	Reduced outdoor engagement, shorter stays (Xu et al., 2025; Zhang & Cao, 2024)	Decline in experience ratings and return rates
Energy Demand	Higher peak electricity loads (Zhang et al., 2024; Yin et al., 2025)	Pressure to adopt solar/renewable load-balancing systems
Economic Productivity	Service delivery disruption, labor fatigue (Shatnawi et al., 2025; Prasad, 2025)	Loss of revenue, inconsistent guest service quality
Environmental Degradation	Overuse of fossil-based cooling (Yeboah et al., 2025; Tonmoy et al., 2025)	Climate-negative feedback loops; need for clean energy infrastructure

The study scope is conceptual and practical, both giving an evidence-based overview and a roadmap to urban-tourism actors. It investigates the issue of policy creation, spatial planning, the assimilation of technology, and socio-behavioral aspects of thermal adaptation, especially in low-income and middle-income areas of urban tourism. The matter being suggested will eventually provide the actionable solutions that are a combination of climatic ethics, the sustainability of op-operations, and visitor welfare.

2. Literature Review

2.1 The study will examine Urban Heat Island (UHIs) and Thermal Discomfort in Urban Tourism Areas

The impact of extreme temperatures in densely populated tourist destinations is serious due to Urban Heat Islands (UHIs), which directly jeopardizes the satisfaction of the visitor and the urban quality of life. The UHI effect in cities where more space is covered with impervious surfaces and less with vegetation makes the ambient temperatures increase by a few degrees higher than in rural settings, especially at night (Genovese et al., 2025; Deng et al., 2025). This worsens indoor and lacks outdoor tourism experiences in areas like Colombo, Hangzhou, and Jakarta, which are tropical and subtropical (Ekanayaka et al., 2025; Suryawan et al., 2024). The association between population density, spatial heterogeneity, and land cover has been well-documented, and the literature reveals that urban development that is not planned appropriately is largely associated with the intensity of UHI and less visitor dispersion (Yeboah et al., 2025; Yin et al., 2025).

Moreover, the UHI phenomenon is magnified by the zoning and land-use changes in tourist cities on the coast, adding to the increase of the Land Surface Temperatures (LSTs) and deteriorating thermal landscapes (Nooji et al., 2025; Roosta and Vakilinezhad, 2025). You will find that tourism areas that have not been designed to cater to thermal usage are usually plagued by a lack of competitiveness, particularly during the seasons of high temperatures. UHIs, therefore, not only constitute a physical and environmental issue, but they also mean an economic burden to tourism economies.

2.2 Heat Stress Effects on the Tourist Behavior, Safety and Experience

The physical and psychological effects of heat stress are transforming the way tourists respond, in both direct and extensive ways. Tourists are likely to minimize their activity levels, pursue shaded or interior places, decrease the scheduled tours, and they are likely to feel uncomfortable, which affects destination perception (Zhang, Wang, and Zhu, 2024; Xu et al., 2025). Studies have shown that temperature as a factor has a substantial impact on destination shunning, and it is additive in terms of its effect on the image of a destination, especially when instances of heat occur frequently (Jain, 2024; Baron, 2025).

Moreover, it is heating stress that affects safety outcomes. The cases of heatstroke, dehydration, and exhaustion are more prevalent among the tourists who are not accustomed to the local extreme weather in terms of synchrony in the

conditional regions with a low level of thermal control or emergency services to address such issues (Kenny et al., 2020; Prasad, 2025). There is also a deterioration in thinking under heat, which creates attractive conditions to travelers because most people easily fall victim to mishaps or lose their way in transit areas (Piil et al., 2021). There is an eventual compound of these factors that form a layered risk environment - personal safety, along with a visitor experience, as well as a long-term image of the tourist destinations, are both under threat.

2.3 Smart infrastructures, Vernacular architecture, and climate adaptable architecture

Combining smart infrastructure and the vernacular design principles is an effective direction towards creating climate-adaptable tourism architecture. Development Cities like Bushehr, Iran, and Jakarta have become increasingly interested in recovering age-old city designs, like wind towers, shaded alleys, and courtyard patterns, to enhance resiliency against heat in the modern day (Roesta and Vakili Nizzah, 2025; Suryawan et al., 2024). Combined with alternative energy sources and machinery integrated into buildings to manage artificial intelligence, these architectural designs would provide both cultural authenticity and thermal performance (Lei, 2025; He, Xiong, and Dong, 2023).

Predictive HVAC systems, sensors, and solar-shading analytics implemented in smart buildings are also being piloted in a number of Asian urban tourist centers, demonstrating their capacity to ensure comfort at reduced energy loads (Tonmoy et al., 2025; Menegaki, 2025). Additionally, the idea of humane cities encourages the importance of being practical, inclusive, and imperfect - promoting flexible, instead of extreme, solutions when creating tourism-focused public spaces (Jonas, 2025). These innovations are a solution between historical knowledge and modern-day sustainability demands.

2.4 Blue Green and Vent roads, and land surface Temperature (LST) dynamics


Blue-green infrastructure (victoria-covered corridors, water in the city, green roofs and green parks) is paramount in allowing the cooling of urban tourism environments in a more natural way. Urban areas with the strategic location of water bodies and urban forests minimise LST and promote airflow, which makes urban areas more tolerable in heat waves (Genovese et al., 2025; Fan et al., 2025). When urban ventilation corridors are planned correctly along with transport and architecture systems, they have been proven to reduce the ambient temperature and enhance the comfort of pedestrians (Ekanayaka et al., 2025; Yin et al., 2025).

The comparison of vertical and a planar green infrastructure as reviewed by Yin et al. (2025) depicts that a hybrid model is a better cooling option in locations with limited space in tourism. Also, spatial mapping analysis in Hangzhou, Zhengzhou, and Budapest are able to identify the direct relationships between land-use development patterns, density of trees and LULC shifts, and the heat exposure in tourist affected regions (Xu et al., 2025; Érfalvy et al., 2023). The blue-green coverage can also be included in the areas of tourism focus on transit to boost resiliency and support more eco-friendly aesthetic (Suryawan et al., 2024; Deng et al., 2025).

2.5 Occupational heat exposure, and recreational heat exposure: HÂ -Implications of health

Exposure to job-related heat among workers in tourism industry - particularly in the outdoor services - has become a major national health concern. Such employees usually do not have access to cooled down resting areas, hydration and medication observation, which causes chronic heat-stress, lowered output and degradation health (Kenny et al., 2020; Usman et al., 2023). Females, the elderly labor force, and other vulnerable people with underlying health are even more heat vulnerable; it requires special workplace design and labor regulation efforts (Piil et al., 2021; Prasad, 2025).

Heat Resilience in Tourism Zones



As voluntary as recreational, but exposure may also be hazardous to tourists under the stress and strain of physical ventures like walking or touring historical heritage, or participating in sports. Heat stress has not only adverse impacts on physical endurance, mood, attention, and decision-making abilities, but also influences tourism experience, shaping moods, attention, and making decisions (Yao & Jin, 2025; Baron, 2025). The presence of overlapping areas between the areas where tourism and residential areas are located in node cities equally presents the community-wide exposure that generates cross-sector strains on healthcare and emergency services (Tonmoy et al., 2025; Corodescu-Roşca et al., 2023).

2.6 Review of Policy Gaps in Climate Resilience for Tourism

Policy frameworks on heat resilience in tourism have been rather patchy and, in many cases, reactive in nature in spite of increasing awareness. The policies related to the planning of cities and tourism still largely think of climate adaptation as an environmental concern and not only operational and economic (Baron, 2025). Such a limited governance model leads to the fact that the chances to connect the heat-responsive design, energy innovation, and mobility systems based on a single strategy are overlooked (Tonmoy et al., 2025; Deng et al., 2025).

It is important to note that the principle of prosilience (the ability to adapt to and outpace disturbance) is quite rarely taken into account in the scope of tourism masterplans, which means that the sector cannot succeed in other climatic conditions (Coradescu-Roşca et al., 2023). There is basically no development of legal and fiscal instruments that create incentives for renewable energy retrofits or implement legislation on green zoning or thermal cooling of those public tourism facilities (Menegaki, 2025; Zhang and Cao, 2024). In the absence of a paradigm shift to anticipatory governance, it is dangerous to leave the tourism industry in a vulnerable position.

3. Methodological Framework

3.1 Multidisciplinary Synthesis of Urban Climatology, Renewable Energy, and Tourism Operations

This study uses a multidisciplinary approach to the research problem of examining the overlap of thermal resilience, sustainability, and comfort in tourism. It combines the knowledge of urban climatology, which investigates the impact of heat islands, ventilation patterns, and land surface temperature, renewable energy systems, especially reasonable decentralized and solar-powered cooling solutions (Zhang, Wang, and Zhu, 2024; Menegaki, 2025), and tourism activities, such as infrastructure planning, visitor experience, and service provision to people in the circumstances of climate stress (Baron, 2025; Jain, 2024).

An integrative approach would allow creating a conceptual framework that would account for the morphology of the built environment, morphology-behavior interaction, and morphology-technological adaptation to extreme heat conditions. Based on the system theory and principles of an adaptive design, the methodology will combine such technical solutions (e.g., passive cooling, intelligent HVAC, blue-green infrastructure, etc) with the experiential and economical needs of the tourism stakeholders (Jonas, 2025; He, Xiong, and Dong, 2023).

3.2 Evidence-Based Model for Balancing Comfort and Sustainability

The overall research design is built on evidence-based synthesis directed to combine empirical results of 29 various studies to create a framework that will congruently strive to achieve guest thermal comfort, sustainability in consuming energy, and resiliency to climate. Instead of handling these priorities separately, the model assumes that both energy efficiency and comfort should be mutually supporting, at least in high-risk urban tourism areas.

The literature reviews of Amman, Zhengzhou, and Hangzhou demonstrate the positive interaction between smart infrastructure, urban plants, and renewable energy infrastructure and the heat load (Shatnabi et al., 2025; Xu et al., 2025; Genovese et al., 2025). In the meantime, health analysis and behavioral response to warmer temperatures are analyzed (Kenny et al., 2020; Piil et al., 2021), revealing the direct dependence between thermal discomfort and visitor satisfaction and its impact on operations. Thus, the model puts a strong emphasis on design strategies sharing passive and active systems, policy mandates, as well as AI-managed energy (Tonmoy et al., 2025; Lei, 2025; Roosta and Vakilinezhad, 2025).

3.3 Use of Case Studies: Jakarta, Colombo, Budapest, and Beyond

The case studies are used to provide information about the details of implementing the new educational program to gain the needed attention in the city and to concentrate on the main issues connected with it. Comparative case study analysis is also employed to corroborate the theoretical insights on the real-life applications as the methodological framework of the study. The chosen cities exemplifying various city types and climatic conditions and provide different learning opportunities in applying renewable solutions to thermal resilience in tourism:

Such instances across geography enable the opportunity of having a scale of understanding of challenges and interventions regionally, policy regimes, and development settings.

4. Renewable Energy Plans to Heat Resilient Tourism.

4.1 Passive and Active Cooling Powered by Renewables

The establishment of active and passive cooling systems, driven by renewable energy, is the basis of heat-resilient tourism infrastructure. Passive measures (e.g., thermal mass, natural ventilation, shading, reflective screens, etc.) decrease the reliance on mechanical cooling and improve the level of comfort in relation to indoor conditions (Rooust and Vakilinezhad, 2025; Jonas, 2025). These methods are based on vernacular construction, especially efficient in hot-humid and dry areas, and have been restored to modern cities such as Bushehr, Jakarta, and Mangaluru to modify the existing buildings to new thermal conditions (Suryawan et al., 2024; Nooji et al., 2025).

Using geothermal or solar energy in active systems, a scalable and low-carbon climate control solution for hotels, resorts, and transit hubs can be provided. Hybrid approaches involving the application of solar-assisted HVAC techniques with passive design in Zhengzhou and Colombo showed considerable changes in the peak of the energy demand and heat exposure in the interior (Xu et al., 2025; Ekanayaka et al., 2025). Coupling renewable energy to cooling networks provides increased resilience but leads to better energy equity, especially in off grid or semi rural tourism areas where there is still a high reliance on fossil fuels (Cui et al., 2024; Yin et al., 2025).

4.2 Solar Cooling technologies and green building envelopes

Solar cooling has also become a popular alternative energy used in the tourism industry, where there is an environmentally friendly alternative to the traditional air conditioning known as solar cooling. Absorption chillers powered by photovoltaic (PV)-driven chillers, solar-assisted desiccant cooling systems, and hybrid PV/T systems become more and more popular in resorts and tourism facilities (Menegaki, 2025; Zhang, Wang, and Zhu, 2024). Besides cutting down on the emissions of operations, these technologies would increase the level of energy independence, specifically in the sun-filled areas such as South Asia, the Middle East, and sub-Saharan Africa.

Solar cooling is also enhanced with green building wraps such as vegetated roofs, solar-reflecting facade, and dynamic shading (Fan et al., 2025; Yin et al., 2025). However, when used in combination, these technologies improve the environments by a tremendous margin in lowering the temperatures and consumption rate of energy and coming in line with such green certifications as LEED, EDGE, and WELL (Tonmoy et al., 2025). Solar cooling and bioclimatic building technologies have reportedly demonstrated that it is possible to apply solar cooling and bioclimatic building policies even in dense urban areas (Genovese et al., 2025; Prasad, 2025).

4.3 Decentralized Resort and Tourist District Resort and Tourist Districts Energy Systems

Decentralized energy systems, such as solar microgrids, community-scale energy storage, and building-scale integrated renewables, can be used to provide a flexible, location-specific solution to power heat-resistant tourism infrastructure. In comparison with centralized grids, they will be able to run the cooling processes during peak heat conditions or grid outages, which guarantee their guests will experience services to meet their cooling needs and be satisfied (Deng et al., 2025; Zhang and Cao, 2024). Decentralized energy systems have also increasingly been considered the climate-resilient and economical choice in tourist islands, coastal resorts, and remote eco-lodges (He, Xiong, and Dong, 2023; Lei, 2025).

As an illustration, at the hotels in Colombo, solar-battery hybrids have been pioneered and are helpful in ensuring that the excess energy spent during the day can be stored and used during the night to cool the buildings (Ekanayaka et al., 2025). Equally, responsible rooftop solar alongside the local energy market has been implemented through transit-oriented development schemes in Jakarta, alleviating the strain on the national grids and energy delivery networks during the summer season (Suryawan et al., 2024). Such systems are particularly effective together with the local climate zoning and AI predictive maintenance applications (Tian et al., 2022; Roosta and Vakilinezhad, 2025).

4.4 Intelligent Grids, Demand-Side control, and Predictive Energy Systems

When connected with a tourism base, smart grid technologies enable real-time optimization of the energy settings, in particular, the work at peak heating situations. Demand-side management (DSM), comprising automated load shifting, smart pricing, and occupancy identification, can be used to achieve the trade-off between comfort and grid stability, minimizing energy waste (Tonmoy et al., 2025; Baron, 2025). On the one hand, predictive systems, based on the principles of machine learning, consider the weather predictions, the tastes of the guests, and their occupancy in order to optimally regulate the use of energy in the cooling systems (Lei, 2025; Jonas, 2025).

Case studies conducted in Budapest revealed how an implementation approach of smart metering and DSM allowed hotels to redistribute the cooling loads to off-peak time without disturbing the satisfaction of guests (Érfalvy et al., 2023). Equally, AI-rendered HVAC loops in Amman have been able to save energy and at the same time uphold temperature standards to suit the thermal comfort indices (Shatnabi et al., 2025). The innovations would especially come in handy in mixed-use urban districts wherein tourism is integrated with residential and retail areas that cause compounded stress on the energy infrastructure.

Table 3. Summary of Renewable Energy Strategies for Heat-Resilient Tourism

Strategy	Primary Function	Example Locations / Projects	References
Passive Cooling Design	Reduce heat gain naturally via shading, materials	Bushehr, Mangaluru, Jakarta	Roosta & Vakilinezhad (2025); Jonas (2025); Nooji et al. (2025)
Solar Cooling Systems	Power air conditioning via solar-assisted methods	Hangzhou, Colombo, Hyderabad	Zhang et al. (2024); Menegaki (2025); Prasad (2025)
Decentralized Renewable Microgrids	Provide localized, clean energy for cooling	Colombo resorts, Jakarta TOD zones	Deng et al. (2025); Suryawan et al. (2024)
Smart Grids & Demand Management	Optimize load timing and energy efficiency	Budapest hotels, Amman districts	Baron (2025); Érfalvy et al. (2023); Shatnawi et al. (2025)
AI & Sensor-Based Automation	Real-time climate control and predictive operations	Hyderabad tourism sites, Colombo public spaces	He et al. (2023); Piil et al. (2021); Prasad (2025)

5. City and Building Design

5.1 Vernacular Extremity and Material Optimization


Vernacular architecture provides low-energy solutions in regions suffering extreme heat, like early vernacular construction in Ahmedabad, India, with a low reliance on energy. The thermal comfort of a building promoted by traditional design techniques, such as thick-walled technology, shaded courtyards, wind catchers, earth-touching materials, and others, is inherently obtained without mechanical mechanisms (Roosta and Vakilinezhad, 2025; Suryawan et al., 2024). A good case study of the adaptation of traditional methods with the modern cooling systems to create culturally authentic and climatically efficient tourism settings is Bushehr, Iran.

The selection of materials is also very crucial. Cool walls, insulated walls, porous pavement, and ventilated walls reflect heat and support cooling passively (Jain, 2024; Jonas, 2025). Recent uses in Mangaluru and Udupi demonstrate how high-albedo and locally sourced (as well as porous) materials can be used to diminish the effect of building-level heating heat trapping and reduce neighbourhood level LST (Nooji et al., 2025). All these strategies are not only cheap but also meet the requirements of green building schemes and sustainability in tourism.

5.2 Blue-Green urban and Ecological cooling of the Tourism Destinations

The relationship between thermally comfortable tourism areas and the introduction of blue-green infrastructure, i.e., a composite of Water and vegetation-based infrastructure, has arisen as a potent instrument in managing Zones of Thermally Pete Dominance. Water in-city wetlands, bio-swales, green lights, and retention ponds assist in the moderation of temperatures, runoff, and enhance the aesthetic beauty to the visitors (Genovese et al., 2025; Fan et al., 2025). Such systems have been implemented in a tourism area in both Hangzhou and Zhengzhou and have resulted in quantifiable decreases in the LST and perceived thermal discomfort by tourists (Xu et al., 2025).

Figure 1. Comparative Effectiveness of Urban Cooling Strategies in Heat-Resilient Tourism Design



5.3 Importance of Urban Ventilation Corridors and Tree Canopies Designs

Urban ventilation corridors - open walks built to encourage the movement of air are becoming popular in urban tourism planning as a non-mechanical way of communicating heat. These corridors, when connected to the current winds and incorporated into the city grid level, reduce the stagnant hot air and cause natural cooling at the city level (Ekanayaka et al., 2025; Deng et al., 2025). Good examples include Colombo and Jakarta, where such corridors have been incorporated in high-density transit and tourism areas to ensure they remain walkable as well as thermal stresses.

At the same time, tree canopy designs prove to be among the most effective and cost-efficient solutions for providing shade and heat reliability. The high density of trees ensures the microclimate control, improves the walkability, and the pattern of tourist movements (Yeboah et al., 2025; Yin et al., 2025). Statistics on Amman and Budapest show that the surface temperature in regions with properly laid pathways with trees is significantly smaller and the lifespan of the tourists is higher (Érfalvy et al., 2023; Shatnawi et al., 2025).

5.4 High-Density Zones vs. Landscape Design: Balancing LST

When focusing on dense touristic zones in cities, it is common that urban heat disposition can be well localized in high density, where many surfaces remain unpermeable (impermeable surfaces such as streetways), the development of close building spaces, and the abundance of built areas leave no room to dissipate heat. In response to this, cities are focusing on urban design that is landscape sensitive, which will include green buffers, permeable areas, and a layered vegetation (Yin et al., 2025; Deng et al., 2025). Vertical gardens and pocket parks have been implemented in Zhengzhou and Hangzhou in the urban and commercial tourism honeypots to cool down the surfaces and offer thermal buffer areas (Genovese et al., 2025; Xu et al., 2025).

It is not just aesthetical that density and greenery need to balance each other, but also a practical plan to decrease LST and enhance the air quality and therefore provide tourists with psychologically pleasant environments (Jonas, 2025; Fan et al., 2025). Moreover, urban heat mapping in high resolution in both Budapest and Mangaluru has been applicable in the prioritization of zones to approach in order to focus resources on areas where cooling will have maximum effects on people (Érfalvy et al., 2023; Nooji et al., 2025).

6. Discussion

6.1 Identifying the Relations amongst Comfort, Energy, and Adaptation to Climatic Conditions

The dynamic nature of tourism demands a fresh paradigm - the paradigm that traverses the relationship among thermal comfort, innovation in energy and adaptation to climate. With the increase in temperatures, the overall visitor experience and the functioning of a specific place are more and more reliant on the ability of infrastructure and renewable energy sources to resist shocks (Cui et al., 2024; Zhang and Cao, 2024). Techniques like solar cooling, artificial intelligence powered HVAC systems, and vernacular have the potential not only to help decrease carbon intensity but also directly influence the subjective well-being of tourists (Jonas, 2025; Menegaki, 2025).

Notably, indoor comfort can no longer be considered as being limited to the indoors. The design of cities and urban areas such as ventilation thoroughfares, tree canopy coverings, and the incorporation of blue green environments determines the movement, relaxation and interaction of tourists in hot climatic regions (Genovese et al., 2025; Ekanayaka et al., 2025). As a result, the energy policy and climate resilience planning should have a human-focused nature involving both the physical, behavioral, as well as emotional aspects of the tourism experiences (Jain, 2024; Piil et al., 2021).

6.2 Policy Design: The use of Spatial Heterogeneity and Land Cover

When examining avian response to climate elements, urban form, land utilization, and ecological structure vary across an urban center, which, to a great extent, determine the success of climate adaptation changes (Yeboah et al., 2025; Yin et al., 2025). In the case of exceptionally urbanized districts, impervious surfaces, low plants, and poor airflow can be the causes of the thermal hotspots, which can result in uneven loads of heat (Xu et al., 2025; Fan et al., 2025). Such variations are very decisive in the tourism sector, where visitor density, open space planning, and the form of buildings differ radically across districts.

Thus, the zoning and land-use policies based on evidence-based approaches and high-resolution spatial information have to be created to support cooling actions in the priority areas (Érfalvy et al., 2023; Deng et al., 2025). Cities need to be treated as a homogeneous heat exhaust; otherwise, risky policies will ignore the presence of microclimatic variability and the advantages of access to cooling innovation. Spatial heat mapping in Colombo, Budapest, and

Amman has been critical towards informing public upgrades to infrastructures, particularly in hot tourist locations (Shatnabi et al., 2025; Suryawan et al., 2024).

6.3 Collaborating Research- Policy-Practice Gaps

Although the research on heating hazards is increasingly in focus, the need to make a difference between research and practice is a burning issue. There is a tendency for academic models to be disconnected from urban governance, and policies are made by providing limited contributions to the scientific community (Baron, 2025; Coradescu-Roşca et al., 2023). This void undermines the practicalization of climate-adaptive tourism policy, particularly in developing economies where the ability to implement is already constrained by financial, technical, and institutional resources (Prasad, 2025; Usman et al., 2023).

A solution to this gap would involve terms of translational research, that is, packaging complicated models into easy-to-use toolkits and scenario-based simulation to tourism planners, architects, and policy parties (Tonmoy et al., 2025; He et al., 2023). The example of Jakarta and Hyderabad suggests that co-created planning frameworks, in which municipal agencies, energy providers, and local communities develop solutions based on the place, have their worth (Suryawan et al., 2024; Roosta and Vakilinezhad, 2025). Through these integrative means, adaptive governance is achieved, and cities are able to respond to the threat of heat in order to safeguard tourism and remain competitive.

6.4 Towards Transdisciplinary, Evidence-based Models

In the future, the tourism industry should embrace trans-disciplinary and evidence-based approaches that combine information on urban and climate infrastructures, behavioural sciences, architectural research, energy science, and policy research (Lei, 2025; Kenny et al., 2020). Increasingly turning cities into a laboratory of heat stress and human adaptation, tourism provides an essential experiment on exploring climate resilient and human-oriented architecture (Jonas, 2025; Jain, 2024).

This is the role that such models should play, relying on AI, geospatial, and participatory design, allowing for the change decisions related to infrastructure in real-time related to weather patterns, movements of visitors, and energy prices (He et al., 2023; Piil et al., 2021). The combined application of multi-source information, remote sensing, on-site thermal sensors, etc., is important to formulate the high-resolution adaptation blueprints. Finally, transdisciplinary collaboration does not exist as a luxurious aspect of the academic community, but rather as an operational tool to equip tourism ecosystems with a new era of a hotter and more unpredictable future (Cui et al., 2024; Yin et al., 2025).

7. Conclusion and Policy Recommendations

With the increased global temperatures and incidences of extreme temperatures, the tourism industry finds itself at a cross road. The solution to this issue is to reach a compromise between ensuring a comfortable temperature inside and upgrading toward sustainable and less oil-driven operations and activities. This article has revealed that not only is it possible but necessary that heat-resilient tourism should be implemented and demonstrated that, through thoughtful urban design and evidence-based policy, renewable energy innovations can provide positive, transformative solutions. Some of the major strategies involve passive and active cooling systems with renewable energy, vernacular and bio climate constructions, and the application of smart automated energy management. The urban level interventions like ventilation corridors, blue-green infrastructures, and a multitude of tree canopy networks are equally crucial to supply natural cooling and to enrich the visitor experience.

Notably, thermal comfort is not to be considered as a domestic issue. It is a greater spatial and policy challenge and is influenced by land cover, urban infrastructure equity, as well as the spread of heat in urban regions. The future of thermal stress management depends on local, data-driven, and community-based interventions as demonstrated by case studies on cities with a large tourist presence.

7.1 Policy and Practice Recommendations

The following recommendations on policy and practice are suggested to lead to the development in the future:

1. **Mandate Solar Cooling in Tourism Construction Codes:** Require the integration of solar-powered cooling technologies and energy-efficient design standards in all new tourism-related infrastructure.

2. **Establish Heat Zoning in Tourism Districts:** Use land surface temperature (LST) mapping and spatial analysis to designate heat-vulnerable zones, prioritizing them for green infrastructure and passive cooling upgrades.
3. **Support Decentralized Renewable Energy Systems:** Encourage investment in community-level microgrids and renewable energy clusters in tourist zones, reducing dependency on centralized grids.
4. **Implement AI-Driven Energy Management:** Promote the use of smart grids, demand-side management systems, and AI-based climate controls to optimize energy use while maintaining comfort.
5. **Bridge Research Policy Practice Gaps:** Facilitate transdisciplinary collaboration between urban planners, climatologists, tourism professionals, and policymakers through living labs and integrated planning platforms.
6. **Design for Thermal Equity:** Ensure that heat-resilient infrastructure addresses the needs of vulnerable groups such as outdoor workers, low-income travelers, and marginalized communities.

Finally, the climate performance of a destination in response to climate action to improve guest well-being will determine the future of tourism in a warming world. Through an ecological design, renewable energy, and non-discriminative policy frameworks, tourism can turn into an industry that is climate resilient as well as equitable, adaptive, and forward-looking. There is no contradiction between comfort and sustainability, so they are two poles of responsible and future-oriented tourism.

References

- Baron, N. (2025). Climate resilient strategies for transit systems: a policy assemblage still far from adaptive planning. *Built Environment*, 51(3), 349-366. <https://doi.org/10.2148/benv.51.3.349>
- Corodescu-Roșca, E., Bănică, A., Muntele, I., & Ichim, P. (2023). "Chapter 11: Coping with extreme temperatures in European regions - from resilience to prosilience?". In *Resilience and Regional Development*. Cheltenham, UK: Edward Elgar Publishing. Retrieved Oct 2, 2025, from <https://doi.org/10.4337/9781035314058.00018>
- Cui, Y., Yin, M., Cheng, X., Tang, J., & He, B. J. (2024). Towards cool cities and communities: Preparing for an increasingly hot future by the development of heat-resilient infrastructure and urban heat management plan. *Environmental Technology & Innovation*, 34, 103568. <https://doi.org/10.1016/j.eti.2024.103568>
- Deng, H., Feng, J., Liu, K., Xiong, Y., & Cao, J. (2025). Local climate zone framework: seasonal dynamics of surface urban heat island and its influencing factors in three Chinese urban agglomerations. *GIScience & Remote Sensing*, 62(1). <https://doi.org/10.1080/15481603.2025.2490317>
- Ekanayaka, N., Kankanamge, N., Kangana, N., & Goonetilleke, A. (2025). The Impact of Urban Ventilation Corridors on Land Surface Temperature: A Temporal Multisource Spatial Analysis of Colombo, Sri Lanka. *Environment and Urbanization ASIA*, 16(1), 41-69. <https://doi.org/10.1177/09754253251331938>
- Érfalvy Áron, Golenyák V., Kutasi G., & Torda S. (2023). The economic effects of climate change on Budapest. *Cognitive Sustainability*, 2(1). <https://doi.org/10.55343/CogSust.34>
- Fan, J., Chen, X., Zhang, W. *et al.* Comparison of mediating effects of air pollutants on urban morphology and urban heat Island intensity at block scale. *Sci Rep* 15, 18433 (2025). <https://doi.org/10.1038/s41598-025-02665-w>
- Genovese, P. V., Xia, R., Wan, Y., Kassa, A. M., Aregawi, T., Li, Z., ... Pan, L. (2025). Spatial heterogeneity in the nexus of blue-green infrastructure, urban heat, and population distribution within Hangzhou. *Geocarto International*, 40(1). <https://doi.org/10.1080/10106049.2025.2564188>
- He, B.J., Xiong, K., Dong, X. (2023). Urban Heat Adaptation and a Smart Decision Support Framework. In: Zhou, T., Chen, Y., Deng, W., Cheshmehzangi, A. (eds) *Smart Buildings and Technologies for Sustainable Cities in China*. Urban Sustainability. Springer, Singapore. https://doi.org/10.1007/978-981-99-6391-1_6
- Jain, H. Critical insights into thermal comfort optimization and heat resilience in indoor spaces. *City Built Enviro* 2, 14 (2024). <https://doi.org/10.1007/s44213-024-00038-z>
- Jonas, T. (2025). Embracing Imperfection: The Key to Sustainable UX in Humane Cities. In: Rosenzweig, E., Davis, A. (eds) *Usability for the World: Building Better Cities and Communities*. Human-Computer Interaction Series. Springer, Cham. https://doi.org/10.1007/978-3-031-88326-2_6
- Kenny, G.P., Notley, S.R., Flouris, A.D., Grundstein, A. (2020). Climate Change and Heat Exposure: Impact on Health in Occupational and General Populations. In: Adams, W., Jardine, J. (eds) *Exertional Heat Illness*. Springer, Cham. https://doi.org/10.1007/978-3-030-27805-2_12
- Lei, Y. Construct a deep meta-learning model for accurate outdoor thermal comfort prediction and its application. *Int. J. Environ. Sci. Technol.* 22, 11173-11194 (2025). <https://doi.org/10.1007/s13762-024-06099-1>
- Menegaki, A. N. (2025). Powering Down Hospitality Through a Policy-Driven, Case-Based and Scenario Approach. *Energies*, 18(2), 328. <https://doi.org/10.3390/en18020328>

- Nooji, Sumangala and Kini, Shashidhar and HOLLA, M. RAVIRAJA, LULC Transformation and Urbanization Impacts on Thermal and Ecological Dynamics in the Medium-Sized Coastal Cities of Mangaluru and Udupi, Karnataka, India. <http://dx.doi.org/10.2139/ssrn.5451556>
- Piil, J. F., Kingma, B., Morris, N. B., Christiansen, L., Ioannou, L. G., Flouris, A. D., & Nybo, L. (2021). Proposed framework for forecasting heat-effects on motor-cognitive performance in the Summer Olympics. *Temperature*, 8(3), 262–283. <https://doi.org/10.1080/23328940.2021.1957367>
- Prasad, S. (2025). Weathering Out: How Hyderabad's Climate Change Adaptation Measures Leave People in the Lurch. <http://dx.doi.org/10.2139/ssrn.5341095>
- Roosta, M., Vakilinezhad, R. (2025). Vernacular Heat-Resilient Cities in Hot-Humid Climates: Exploring Solutions and Strategies for Bushehr, Iran. In: Cheshmehzangi, A., Zuo, J., Sharifi, A., Zhang, R., Ziafati Bafarasat, A., Zhao, J. (eds) Designing Healthy Cities. Urban Sustainability. Springer, Singapore. https://doi.org/10.1007/978-981-96-5538-0_6
- Shatnawi, N., Alqaralleh, R.M. & Tarawneh, E.R. Urban heat island in Amman: AI-based modeling of urban morphology and green infrastructure in mitigating thermal stress. *Environ Earth Sci* 84, 498 (2025). <https://doi.org/10.1007/s12665-025-12507-7>
- Suryawan, I. W. K., Mulyana, R., Septiariva, I. Y., Prayogo, W., Suhardono, S., Sari, M. M., & Ulhasanah, N. (2024). Smart urbanism, citizen-centric approaches and integrated environmental services in transit-oriented development in Jakarta, Indonesia. *Research in Globalization*, 8, 100181. <https://doi.org/10.1016/j.resglo.2023.100181>
- Tian, S., Qi, A., Li, Z., Pan, X., Liu, Y., & Li, X. (2022). Urban “Three States” Human Settlements High-Quality Coordinated Development. *Buildings*, 12(2), 178. <https://doi.org/10.3390/buildings12020178>
- Tonmoy, Fahim and Rissik, David and Leitch, Anne M. and Heeley, Brianna and Law, Lisa and Barrette, Sophie, A Framework for Evaluating Multidisciplinary and Evidence-Based Options for Managing Urban Heat Across City Scales Under Climate Change. <http://dx.doi.org/10.2139/ssrn.5040995>
- Usman, M., Ali, A., Bashir, M.K. *et al.* Do farmers’ risk perception, adaptation strategies, and their determinants benefit towards climate change? Implications for agriculture sector of Punjab, Pakistan. *Environ Sci Pollut Res* 30, 79861–79882 (2023). <https://doi.org/10.1007/s11356-023-27759-8>
- Xu, J., Xuan, L., Li, C., Wu, T., Wang, Y., Wang, Y., Wang, X., & Wang, Y. (2025). Effect of Landscape Architectural Characteristics on LST in Different Zones of Zhengzhou City, China. *Land*, 14(8), 1581. <https://doi.org/10.3390/land14081581>
- Yao, L., Jin, M. The uneven impact of temperature on the macroeconomy: a perspective on total factor productivity. *Econ Change Reconstruct* 58, 54 (2025). <https://doi.org/10.1007/s10644-025-09898-9>
- Yeboah, E., Wang, G., Hagan, D.F.T. *et al.* A causal investigation of land use and land cover change on emerging urban heat island footprints in a mid-latitude region. *Environ Dev Sustain* (2025). <https://doi.org/10.1007/s10668-025-06328-8>
- Yin, C., Yan, J., Wen, Q. *et al.* Planar vs. Vertical Dominance? A Nonlinear Analysis of the Urban Landscape-Land Surface Temperature Nexus. *Appl. Spatial Analysis* 18, 82 (2025). <https://doi.org/10.1007/s12061-025-09687-x>
- Zhang, F., & Cao, M. (2024). Adapting to climate change: substitution effect of water on residential electricity consumption. *International Journal of Climate Change Strategies and Management*, 16(1), 91-111. <https://doi.org/10.1108/IJCCSM-03-2023-0032>
- Zhang, Z., Wang, Y., & Zhu, D. (2024). Overheating in the Tree Shade of Urban Parks: A Field Study of Thermal Adaption in China. *Atmosphere*, 15(5), 575. <https://doi.org/10.3390/atmos15050575>